



AMENDMENT TRANSMITTAL LETTER

September 2, 2004

COMMISSIONER FOR PATENTS
P.O. Box 1450
ALEXANDRIA, VA 22313-1450

Re: Applicants: Green et al.
Assignee: Rambus, Inc.
Title: "PLL Lock Detection Circuit Using Edge Detection"
Serial No.: 10/622,627 Filed: July 17, 2003
Examiner: Linh M. Nguyen Art Unit: 2816
Atty. Docket No.: RA-307

Dear Sir:

Transmitted herewith are the following documents:

- (1) an amendment (13 pages);
- (2) a petition for extension of time under 37 CFR 1.136(a);
- (3) a check for additional fees (\$282);
- (4) a return postcard; and
- (5) this transmittal sheet (in duplicate).

- ☐ No additional Fee is required.
☒ The fee has been calculated as shown below:

CLAIMS AS AMENDED						
	REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	EXTRA CLAIMS PRESENT	RATE	ADDITIONAL FEE
TOTAL CLAIMS	21	minus	21	0	\$18	\$0.00
INDEP. CLAIMS	7	minus	5	2	\$86	\$172.00
Total Additional Claim Fee						\$172.00
Fee for Extension of Time (1 month)						\$110.00
TOTAL						\$282.00
<input checked="" type="checkbox"/> A check is attached for the amount of:						\$282.00

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

By Darien K. Wallace
Darien K. Wallace

Date of Deposit: September 2, 2004

Respectfully submitted,

Darien K. Wallace

Darien K. Wallace
Attorney for Applicants
Reg. No. 53,736



JPW
8

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Green et al.

Assignee: Rambus, Inc.

Title: "PLL Lock Detection Circuit Using Edge Detection"

Appl. No.: 10/622,627

Filing Date: July 17, 2003

Examiner: Lam T. Mai

Art Unit: 2816

Docket No.: RA-307

September 2, 2004

COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT IN RESPONSE TO FIRST OFFICE ACTION

Dear Sir:

In response to the outstanding, non-final office action dated May 14, 2004 ("Office Action"), the Applicants respond as follows and request the Examiner to amend the above-identified application as follows.

There are no amendments to the specification in this Amendment.

Amendments to the Claims are reflected in the listing of claims that begins on page 2 of this Amendment.

There are no amendments to the drawings in this Amendment.

The **Remarks** begin on page 8 of this Amendment.